

## VOLUME CONTENTS

### ORIGINAL ARTICLES

- A comparison of informed consent for obstetric anaesthesia in the USA and the UK**  
*D. J. Bush* 1
- Risk information supplied by obstetric anaesthetists in Britain and Ireland to mothers awaiting elective caesarean section**  
*C. Lanigan, F. Reynolds* 7
- A new preparation of nitroglycerin for uterine relaxation**  
*L. F. Redick, E. Livingston* 14
- Post partum headache after epidural analgesia without dural puncture**  
*D. Benhamou, J. Hamza, B. Ducot* 17
- Backache and epidural analgesia**  
*J. MacLeod, C. Macintyre, J. H. McClure, A. Whitfield* 21
- Comparison of fentanyl with clonidine as adjuvants for epidural analgesia with 0.125% bupivacaine in the first stage of labor**  
*D. Celleno, G. Capogna, P. Costantino, A. Zangrillo* 26

### CONTROVERSIES IN OBSTETRIC ANAESTHESIA

- Cricoid pressure is unnecessary in obstetric general anaesthesia**  
Proposer: *D. Benhamou*, Opposer: *R. Vanner* 30
- Epidural is an outmoded form of regional anaesthesia for elective caesarean section**  
Proposer: *G. Lyons*, Opposer: *A. May* 34
- Women who request epidural analgesia in labour should always be given it**  
Proposer: *G. O'Sullivan*, Opposer: *J. Thornton, M. Moore* 40
- The long-term effects of epidural analgesia preclude its use in uncomplicated labour**  
Proposer: *M. Lewis*, Opposer: *D. G. Bogod* 44

### CASE REPORTS

- Latex anaphylaxis during late pregnancy**  
*P. D. Stewart, D. Bogod* 48
- Anaphylactoid reaction possibly caused by amniotic fluid embolism**  
*L. J. Howes* 51
- Bradycardia and asystole following atropine-neostigmine administration after caesarean section in a parturient receiving methyldopa for pregnancy-induced hypertension**  
*J. Rodriguez, J. Cortinas, M. Barcena, V. Ginesta, J. Alvarez* 55
- Obstetric anaesthesia in a separated conjoined twin**  
*J. F. Lupatkin, G. F. Marx* 58

### ABSTRACTS

- Free papers presented at the Obstetric Anaesthetists' Association Meeting in Leicester, 16 September 1994** 60
- Correspondence** 68
- Forthcoming meetings** 70

### ORIGINAL ARTICLES

- Levels of anaesthesia and intraoperative pain at caesarean section under regional block**  
*I. F. Russell* 71
- The elective use of oxytocin infusion during labour in nulliparous women using epidural analgesia**  
*A. H. Shennan, R. Smith, D. Browne, D. K. Edmonds, B. Morgan* 78
- Motor block during epidural infusions for nulliparous women in labour**  
*R. Russell, J. Quinlan, F. Reynolds* 82

<b>Epidural analgesia with 4 mg of morphine after caesarean section: modulating effect of epidural block compared to general anaesthesia</b> <i>R. Asantila, P. Eklund, H. Latvala, P. H. Rosenberg</i>	89
<b>REVIEW ARTICLES</b>	
<b>The Fred Hehre Lecture: In defence of bupivacaine</b> <i>F. Reynolds</i>	93
<b>Comment</b> <i>B. R. Kuhnert, P. M. Kuhnert</i>	105
<b>Bupivacaine: have heart!</b> <i>R. H. de Jong</i>	106
<b>Meralgia paresthetica in the parturient</b> <i>T. Van Diver, W. Camann</i>	109
<b>CASE REPORTS</b>	
<b>Acute pulmonary edema in the post partum and cor triatriatum sinistrum</b> <i>D. Thorin, N. Aebischer, J. Landolt, N. DeOuay, P. Ravussin, P. DeGrandi</i>	113
<b>Undiagnosed raised intracranial pressure complicating labour</b> <i>H. G. Wakeling, P. Creagh Barry</i>	117
<b>Successful subdural anesthesia for cesarean section and postoperative pain management</b> <i>I. Lowenwirt, A. Citron, U. Krishnamurthy</i>	120
<b>Correspondence</b>	123
<b>GUIDELINES</b>	
<b>Recommended minimum standards for obstetric anaesthesia services</b> <i>Obstetric Anaesthetists' Association</i>	125
<b>Guidelines for regional anesthesia in obstetrics</b> <i>American Society of Anesthesiologists</i>	129
<b>Forthcoming meetings</b>	131
<b>Research grants</b>	132
<b>ORIGINAL ARTICLES</b>	
<b>Serious complications associated with epidural/spinal blockage in obstetrics: a two-year prospective study</b> <i>D. B. Scott, M. E. Tunstall</i>	133
<b>Acute tocolysis for suspected intrapartum fetal distress: maternal effects of terbutaline versus magnesium sulfate</b> <i>E. F. Magann, P. F. Norman, J. D. Bass, S. P. Chauhan, J. N. Martin Jr, J. C. Morrison</i>	140
<b>Transfer of the critically ill obstetric patient</b> <i>J. A. Donnelly, E. A. Smith, G. J. Runcie</i>	145
<b>Epidural clonidine-fentanyl combination for labour analgesia: a comparison with bupivacaine-fentanyl</b> <i>S. W. Husaini, I. F. Russell</i>	150
<b>Sequential spinal epidural analgesia for pain relief in labour</b> <i>S. Joos, R. Servais, A. van Steenberge</i>	155
<b>Combined spinal epidural anaesthesia</b> <i>M. A. Turner, N. A. Reifenberg</i>	158
<b>REVIEW ARTICLE</b>	
<b>How useful is intrapartum electronic fetal heart rate monitoring?</b> <i>P. A. Groves, N. E. Oriol</i>	161
<b>CASE REPORTS</b>	
<b>Fiberoptic intubation using intraoral glossopharyngeal nerve block in a patient with severe preeclampsia and HELLP syndrome</b> <i>J. G. D'Alessio, J. Ramanathan</i>	168
<b>Awake oral fiberoptic intubation for caesarian section</b> <i>C. J. Broomhead, W. Davies, D. Higgins</i>	172
<b>A case of amniotic fluid embolism in a twin pregnancy in the second trimester</b> <i>M. C. Kelly, K. Bailie, K. C. McCourt</i>	175
<b>ABSTRACTS</b>	
<b>Abstracts of free papers presented at the Obstetric Anaesthetists' Association Meeting in York, UK, 6-7 April 1995</b>	178
<b>Correspondence</b>	190
<b>Forthcoming meetings</b>	194

<b>EDITORIAL</b>	
<i>M.J. Douglas</i>	195
<b>ORIGINAL ARTICLES</b>	
<b>Effect of dantrolene sodium on contractility of isolated human uterine muscle</b>	
<i>Y.K. Shin, Y.D. Kim, J.V. Collea, M.D. Belcher</i>	197
<b>Post partum magnetic resonance imaging: lumbar tissue changes are unrelated to epidural analgesia or mode of delivery</b>	
<i>A. Holdcroft, C. Baudouin, R. Fernando, G. Samsoon, A. Oatridge</i>	201
<b>A Survey of current obstetric anaesthesia practice in Switzerland</b>	
<i>M. Schneider, J. Graber, D. thorin, S. Castelanelli</i>	207
<b>A survey of anaesthesia for caesarean section</b>	
<i>G.W. Brown, I.F. Russell</i>	214
<b>Comparison of continuous spinal and epidural analgesia for pain relief in labour</b>	
<i>C.M. Graham, G.M. Cooper</i>	219
<b>Effect of adrenaline on plasma concentrations of fentanyl during epidural anaesthesia for caesarean section</b>	
<i>R. Desprats, M. Giroux, J.C. Dumas, G. Campistron, M.G. Teixeira, G. Houin, H. Grandjean</i>	225
<b>REVIEW ARTICLES</b>	
<b>Review of flow limited transfer in the placenta</b>	
<i>J. Job Faber</i>	230
<b>Optimization of fetal oxygenation</b>	
<i>G.M. Bassell, G.F. Marx</i>	238
<b>Anesthetic management of the parturient with ankylosing spondylitis</b>	
<i>R.A. Bourlier, D.J. Birnbach</i>	244
<b>CASE REPORTS</b>	
<b>Serous retinal detachment - an unusual complication of preclampsia</b>	
<i>J. Tuckey</i>	248
<b>Epidural opioids and previous caesarean section</b>	
<i>C. McBeth</i>	251
<b>Grand mal convulsion following epidural blockade</b>	
<i>A. Patel, K.R. Hughes</i>	254
<b>Correspondence</b>	255
<b>Acknowledgements</b>	255
<b>ABSTRACTS</b>	
<b>Free papers presented at the Obstetric Anaesthetists' Association Meeting in Basel, Switzerland, 29th - 30th September 1995</b>	259
<b>Forthcoming meetings</b>	265
<b>Author index</b>	266
<b>Subject index</b>	270

Copyright © Pearson Professional Ltd 1995

ISSN 0959 289X

All rights reserved. Apart from fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988 this publication may only be reproduced, stored or transmitted in any form, or by any means, with the prior written permission of the publishers (Churchill Livingstone, Robert Stevenson House, 1-3 Baxter's Place, Leith Walk, Edinburgh EH1 3AF) or in the case of reprographic reproduction in accordance with the terms of licenses issued by the Copyright Licensing Agency Ltd, 90 Tottenham Court Road, London W1P 9HE.